




NFRC LABEL DATA
AS IT RELATES TO
ENERGY STAR®

Casement & Awning

WINDOW TYPE DOUBLE GLASS	TEST METHOD	U-Factor / SHGC	Clear Glass		Hard Coat Low "E & Argon		Cardinal LoE ² & Argon	
			No Grilles	With Grilles	No Grills	With Grilles	No Grilles	With Grilles
Cabernet CSMT	Tested In Accordance with NFRC 100-97	U-Factor	0.43	0.43	0.35	0.35	0.28	0.29
		SHGC	0.49	0.45	0.39	0.39	0.26	0.24
		VT	0.51	0.46	0.47	0.43	0.46	0.42
Cabernet AWN	Tested In Accordance with NFRC 100-97	U-Factor	0.43	0.43	0.35	0.35	0.28	0.29
		SHGC	0.49	0.45	0.39	0.39	0.26	0.24
		VT	0.51	0.46	0.47	0.43	0.46	0.42

ENERGY STAR Climate Region Map



Northern	≤ 0.35	ANY	Southern	≤ 0.65	≤ 0.4	Prescriptive
North/Central	≤ 0.40	≤ 0.55		≤ 0.66	≤ 0.39	Equivalent Performance
South/Central	≤ 0.40	≤ 0.40		≤ 0.67	≤ 0.38	
	≤ 0.41	≤ 0.36		≤ 0.68	≤ 0.37	
	≤ 0.42	≤ 0.31		≤ 0.69	≤ 0.37	
	≤ 0.43	≤ 0.24		≤ 0.70	≤ 0.36	
				≤ 0.71	≤ 0.36	
				≤ 0.72	≤ 0.35	
				≤ 0.73	≤ 0.35	
				≤ 0.74	≤ 0.34	
				≤ 0.75	≤ 0.33	

Prescriptive

Equivalent Performance (Excluding CA)
Products meeting these criteria also qualify in the Southern zone.