

CABERNET

WINDOWS
by B.F. Rich

Replacement & New Construction



STRUCTURAL DATA



Window Type	Test Method	Primary Product Designator	Air Infiltration/ Exfiltration	Water Penetration Resistance	Design Pressure	Tested Pressure (Uniform Load Structural)	Forced Entry Resistance
Cabernet Double-Hung	AAMA/WDMA/CSA 101/I.S.2/ A440-05	H-R55 40" x 63" (1000mm x 1600mm)	0.14 cfm/ft ² (1.57 psf) (25 mph)	(11.25 psf)	(55.0 psf)	(82.5 psf)	Passed ASTM F588 Grade 10
Cabernet Horizontal Slider	AAMA/NWWD 101/ I.S.2-97	HS-R25 69" x 48" (1752mm x 1219mm)	0.16 cfm/ft ² (1.57 psf) (25 mph)	(3.75 psf)	(30.0 psf)	(67.5 psf)	Passed ASTM F588 Grade 10
Cabernet Fixed Lite	AAMA/WDMA/CSA 101/I.S.2/ A440-05	FW-LC75 56" x 56" (1400mm x 1400mm)	0.01 cfm/ft ² (1.57 psf) (25 mph)	(12.0 psf)	(75.0 psf)	(112.5 psf)	Passed ASTM F588 Grade 10
Cabernet Hopper	AAMA/WDMA/CSA 101/I.S.2/ A440-08	R-PG30 32" x 26" (813mm x	cfm/ft ² (1.57 psf) (25 mph)	220 pa (4.5 psf)	±1440 pa (30.0 psf)	±960 pa (20.0 psf)	Passed ASTM F588-07 Grade 10
Cabernet Hopper	AAMA/WDMA/CSA 101/I.S.2/ A440-08	R-PG20 48" x 32" (1219mm x 813mm)	0.15 cfm/ft ² (1.57 psf) (25 mph)	150 pa (3.0 psf)	±960 pa (20.0 psf)	±1440 pa (30.0 psf)	Passed ASTM F588-07 Grade 10