

CHATEAU WINDOWS

by B.F. Rich

REPLACEMENT WINDOWS



STRUCTURAL DATA



Window Type	Test Method	Primary Product Designator	Air Infiltration/ Exfiltration	Water Penetration Resistance	Design Pressure	Tested Pressure (Uniform Load Structural)	Forced Entry Resistance
Chateau Double-Hung	AAMA/WDMA/CSA 101/I.S.2/ A440-08	R-PG40 40" x 63" (1016mm x 1600mm)	0.15 cfm/ft ² (1.57 psf) (25 mph)	330 pa (6.75 psf)	±1920 pa (40.0 psf)	±2880 pa (60.0 psf)	Passed ASTM F588-07 Grade 10
Chateau Horizontal Slider	AAMA/WDMA/CSA 101/I.S.2/ A440-08	R-PG30 63" x 44" (1600mm x 1118mm)	0.14 cfm/ft ² (1.57 psf) (25 mph)	290 pa (6.0 psf)	±1440 pa (30.0 psf)	±2160 pa (45.0 psf)	Passed ASTM F588-07 Grade 10
Chateau Fixed Lite	AAMA/WDMA/CSA 101/I.S.2/ A440-08	LC-PG60 56" x 56" (1422mm x 1422mm)	0.01 cfm/ft ² (1.57 psf) (25 mph)	580 pa (12.0 psf)	±2880 pa (60.0 psf)	±4320 pa (90.0 psf)	Passed ASTM F588-07 Grade 10