

# VINTAGE

WINDOWS  
by B.F. Rich

## Replacement & New Construction



### STRUCTURAL DATA



Window Type	Test Method	Primary Product Designator	Air Infiltration/ Exfiltration	Water Penetration Resistance	Design Pressure	Tested Pressure (Uniform Load Structural)	Forced Entry Resistance
Vintage Double-Hung	AAMA/WDMA/CSA 101/I.S.2/ A440-08	R-PG50 40" x 63" (1016mm x 1600mm)	0.13 cfm/ft <sup>2</sup> (1.57 psf) (25 mph)	540 pa (11.25 psf)	±2400 pa (50.0 psf)	±3600 pa (75.0 psf)	Passed ASTM F588-07 Grade 10
Vintage Horizontal Slider	AAMA/NWWDA 101/I.S.2-97	HS-R30 69" x 48" (1752mm x 1219mm)	0.14 cfm/ft <sup>2</sup> (1.57 psf) (25 mph)	(4.50 psf)	(22.5 psf)	(45.0 psf)	Passed ASTM F588 Grade 10
Vintage Fixed Lite	AAMA/NWWDA 101/I.S.2-97	F-LC75 54" x 54" (1372mm x 1372mm)	0.01 cfm/ft <sup>2</sup> (1.57 psf) (25 mph)	(12.0 psf)	(75.0 psf)	(112.5 psf)	Passed ASTM F588 Grade 10