


# WOODBIDGE

## NFRC AND ENERGY STAR® THERMAL DATA



*Quality First... Service Second to None*  
*Since 1957*

The NFRC label provides the only reliable way to compare the energy efficiency, strength and durability of a window. The NFRC label appears on all fenestration products in the ENERGY STAR® program.




**Compare U-Factor** - The **LOWER** the U-Factor, the better it insulates, the **LOWER** your heating and cooling bills.

**Compare Solar Heat Gain Coefficient** - The **LOWER** the SHGC, the less solar heat your window transmits in summer, the **LOWER** your cooling costs.

**Compare Visible Transmittance** - Daylight and view are two of the fundamental attributes of a window. The **HIGHER** the VT the more **NATURAL LIGHT** is allowed into the home.

**Compare Design Pressure** - The **HIGHER** the DP Rating, the **STRONGER** and more **RESILIENT** the window will be to wind, rain and storms.

**Look for ENERGY STAR®** - ENERGY STAR qualified windows and doors **SAVE** energy, money and increase the comfort of your home.

 National Fenestration Rating Council® CERTIFIED	<b>BFRich</b> Windows & Doors <b>"WOODBIDGE"</b> DOUBLE-HUNG WINDOW VINYL - SASH & FRAME • DOUBLE GLAZING
<b>ENERGY PERFORMANCE RATINGS</b>	
U-Factor (U.S./I-P)	Solar Heat Gain Coefficient
<b>ADDITIONAL PERFORMANCE RATINGS</b>	
Visible Transmittance	_____
<small>Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. <a href="http://www.nfrc.org">www.nfrc.org</a></small>	
AAMA/WDMA/CSA 101/I.S. 2/A440-05 GRADE: H-R50/DP50	
	<small>ENERGY STAR qualified versions of this product are available for the <b>highlighted</b> regions. Ask your sales person for details.</small>  <small>Las versiones de los productos calificados ENERGY STAR están disponibles en las regiones seleccionadas. Para más detalles hable con el representante de ventas en la tienda.</small>

ENERGY STAR  
Compliant By Zone

YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
No				
No				
No				

Manufacturer  
Product Description

Product Description	U-Factor	SHGC	VT	Gap Fill	Grids	Certified Product Number
2.5 SCSB70/E-PS R5 Green Shield	0.22	0.18	0.41	Argon	NA	BFR-M-24-00079-00001
2.5 SCSB70/E-PS R5 Green Shield	0.22	0.17	0.37	Argon	< 1"	BFR-M-24-00079-00002
2.5 SCSB70/E-PS R5 Green Shield	0.22	0.15	0.33	Argon	≥ 1"	BFR-M-24-00079-00003
Product Description	U-Factor	SHGC	VT	Gap Fill	Grids	Certified Product Number
2.5 SCSB70 Green Shield	0.26	0.19	0.44	Argon	NA	BFR-M-24-00070-00001
2.5 SCSB70 Green Shield	0.26	0.17	0.39	Argon	< 1"	BFR-M-24-00070-00002
2.5 SCSB70 Green Shield	0.26	0.16	0.35	Argon	≥ 1"	BFR-M-24-00070-00003
2.5 SB65 Soft Coat	0.30	0.29	0.55	Argon	NA	BFR-M-24-00058-00001
2.5 SB65 Soft Coat	0.30	0.26	0.49	Argon	< 1"	BFR-M-24-00058-00002
2.5 SB65 Soft Coat	0.30	0.24	0.43	Argon	≥ 1"	BFR-M-24-00058-00003
2.5 CMFT EP-S Hard Coat	0.33	0.59	0.60	Argon	NA	BFR-M-24-00073-00001
2.5 CMFT EP-S Hard Coat	0.33	0.53	0.53	Argon	< 1"	BFR-M-24-00073-00002
2.5 CMFT EP-S Hard Coat	0.33	0.47	0.47	Argon	≥ 1"	BFR-M-24-00073-00003

## WOODBIDGE Double-Hung Window

ENERGY STAR  
Compliant By Zone

YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
No				
No				
No				

Manufacturer  
Product Description

Product Description	U-Factor	SHGC	VT	Gap Fill	Grids	Certified Product Number
2.5 SCSB70 Green Shield	0.27	0.19	0.45	Argon	NA	BFR-M-25-00070-00001
2.5 SCSB70 Green Shield	0.27	0.17	0.40	Argon	< 1"	BFR-M-25-00070-00002
2.5 SCSB70 Green Shield	0.27	0.16	0.35	Argon	≥ 1"	BFR-M-25-00070-00003
2.5 SB65 Soft Coat	0.30	0.30	0.55	Argon	NA	BFR-M-25-00058-00001
2.5 SB65 Soft Coat	0.30	0.27	0.49	Argon	< 1"	BFR-M-25-00058-00002
2.5 SB65 Soft Coat	0.30	0.24	0.44	Argon	≥ 1"	BFR-M-25-00058-00003
2.5 CMFT EP-S Hard Coat	0.33	0.60	0.60	Argon	NA	BFR-M-25-00073-00001
2.5 CMFT EP-S Hard Coat	0.33	0.53	0.54	Argon	< 1"	BFR-M-25-00073-00002
2.5 CMFT EP-S Hard Coat	0.33	0.48	0.48	Argon	≥ 1"	BFR-M-25-00073-00003

## WOODBIDGE Horizontal Slider Window

ENERGY STAR  
Compliant By Zone

YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S
YES	N	NC	SC	S

Manufacturer  
Product Description

Product Description	U-Factor	SHGC	VT	Gap Fill	Grids	Certified Product Number
2.5 SCSB70 Green Shield	0.26	0.22	0.50	Argon	NA	BFR-M-23-00062-00001
2.5 SCSB70 Green Shield	0.26	0.20	0.45	Argon	< 1"	BFR-M-23-00062-00002
2.5 SCSB70 Green Shield	0.26	0.18	0.40	Argon	≥ 1"	BFR-M-23-00062-00003
2.5 SB65 Soft Coat	0.28	0.33	0.62	Argon	NA	BFR-M-23-00050-00001
2.5 SB65 Soft Coat	0.28	0.30	0.56	Argon	< 1"	BFR-M-23-00050-00002
2.5 SB65 Soft Coat	0.28	0.27	0.50	Argon	≥ 1"	BFR-M-23-00050-00003
2.5 CMFT EP-S Hard Coat	0.32	0.67	0.68	Argon	NA	BFR-M-23-00065-00001
2.5 CMFT EP-S Hard Coat	0.32	0.60	0.61	Argon	< 1"	BFR-M-23-00065-00002
2.5 CMFT EP-S Hard Coat	0.32	0.54	0.54	Argon	≥ 1"	BFR-M-23-00065-00003

## WOODBIDGE Fixed Picture Window



### ENERGY STAR® Qualification Criteria for Residential Windows

Climate Zone	U-Factor <sup>1</sup>	SHGC <sup>2</sup>	
Northern	≤ 0.30	Any	Prescriptive
	≥ 0.31	≥ 0.35	Equivalent Energy Performance
	≥ 0.32	≥ 0.40	
North-Central	≤ 0.32	≤ 0.40	
South-Central	≤ 0.35	≤ 0.30	
Southern	≤ 0.60	≤ 0.27	



### ENERGY STAR® Map & Criteria

Key: 2.5 = 2.5mm glass. SCSB70 = SunClean Solarban 70. SB65 = Solarban 65. CMFT EP-S = Comfort EP-S.

There are many glass and/or grid configurations that affect a window's U-Factor, Solar Heat Gain Coefficient and Visible Transmittance. A complete list of configurations for B.F. Rich windows and doors can be found at [www.nfrc.org](http://www.nfrc.org) in the Certified Products Directory.