




NFRC LABEL DATA
AS IT RELATES TO
ENERGY STAR®

Cabernet

WINDOW TYPE DOUBLE GLASS	TEST METHOD	U-Factor / SHGC VT	Clear Glass		Hard Coat Low "E & Argon		Soft Coat Low "E" & Argon	
			No Grilles	With Grilles	No Grills	With Grilles	No Grilles	With Grilles
Cabernet DH	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.48	0.48	0.34	0.34	0.32	0.32
			0.54	0.49	0.47	0.42	0.30	0.27
			0.57	0.51	0.53	0.47	0.50	0.45
Cabernet HS	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.48	0.48	0.35	0.35	0.32	0.32
			0.55	0.50	0.48	0.43	0.30	0.27
			0.57	0.52	0.52	0.47	0.51	0.45
Cabernet PW	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.46	0.46	0.31	0.31	0.27	0.27
			0.58	0.52	0.49	0.45	0.32	0.29
			0.61	0.54	0.56	0.50	0.54	0.48

ENERGY STAR Climate Region Map



Northern	≤ 0.35	ANY	Southern	≤ 0.65	≤ 0.4	Prescriptive	
North/Central	≤ 0.40	≤ 0.55	Equivalent Performance (Excluding CA) <i>Products meeting these criteria also qualify in the Southern zone.</i>	≤ 0.66	≤ 0.39	Equivalent Performance	
South/Central	≤ 0.40	≤ 0.40		Prescriptive	≤ 0.67		≤ 0.38
	≤ 0.41	≤ 0.36			≤ 0.68		≤ 0.37
	≤ 0.42	≤ 0.31			≤ 0.69		≤ 0.37
	≤ 0.43	≤ 0.24			≤ 0.70		≤ 0.37
				≤ 0.71	≤ 0.36		
				≤ 0.72	≤ 0.35		
				≤ 0.73	≤ 0.35		
				≤ 0.74	≤ 0.34		
				≤ 0.75	≤ 0.33		