




NFRC LABEL DATA  
AS IT RELATES TO  
ENERGY STAR®

## Rich Vinyl

WINDOW TYPE DOUBLE GLASS	TEST METHOD	U-Factor // SHGC	Clear Glass		Hard Coat Low "E" & Argon		Soft Coat Low "E" & Argon	
			No Grilles	With Grilles	No Grills	With Grilles	No Grilles	With Grilles
Rich Vinyl DH	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.49	0.49	0.35	0.35	0.32	0.32
0.57			0.51	0.49	0.45	0.32	0.29	
0.59			0.53	0.55	0.49	0.52	0.47	
Rich Vinyl HS	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.49	0.49	0.35	0.37	0.32	0.32
0.56			0.51	0.49	0.44	0.32	0.29	
0.59			0.52	0.55	0.49	0.52	0.47	
Rich Vinyl PW	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.47	0.47	0.33	0.33	0.29	0.29
0.58			0.53	0.51	0.47	0.33	0.30	
0.62			0.55	0.58	0.52	0.55	0.49	

ENERGY STAR Climate Region Map



Northern	≤ 0.35	ANY	Southern	≤ 0.65	≤ 0.4	Prescriptive
North/Central	≤ 0.40	≤ 0.55	Prescriptive  Equivalent Performance (Excluding CA) <i>Products meeting these criteria also qualify in the Southern zone.</i>	≤ 0.66	≤ 0.39	Equivalent Performance
South/Central	≤ 0.40	≤ 0.40		≤ 0.67	≤ 0.38	
	≤ 0.41	≤ 0.36		≤ 0.68	≤ 0.37	
	≤ 0.42	≤ 0.31		≤ 0.69	≤ 0.37	
	≤ 0.43	≤ 0.24		≤ 0.70	≤ 0.36	
			≤ 0.71	≤ 0.36		
			≤ 0.72	≤ 0.35		
			≤ 0.73	≤ 0.35		
			≤ 0.74	≤ 0.34		
			≤ 0.75	≤ 0.33		