




NFRC LABEL DATA
AS IT RELATES TO
ENERGY STAR®

Town & Country

WINDOW TYPE DOUBLE GLASS	TEST METHOD	U-Factor // SHGC	Clear Glass		Hard Coat Low "E & Argon		Soft Coat Low "E" & Argon	
			No Grilles	With Grilles	No Grills	With Grilles	No Grilles	With Grilles
Town & Country DH	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.50	0.50	0.35	0.35	0.32	0.32
			0.59	0.54	0.51	0.47	0.33	0.28
			0.61	0.60	0.58	0.53	0.55	0.
Town & Country HS	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.49	0.49	0.34	0.34	0.31	0.31
			0.60	0.55	0.52	0.48	0.33	0.30
			0.62	0.56	0.59	0.54	0.56	0.50
Town & Country PW	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.48	0.48	0.33	0.33	0.	0.
			0.61	0.55	0.56	0.51	0.	0.
			0.63	0.57	0.59	0.53	0.	0.
Town & Country Casement	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.43	0.43	0.35	0.35	0.28	0.29
			0.49	0.45	0.39	0.39	0.26	0.24
			0.51	0.46	0.47	0.43	0.46	0.42
Town & Country Awning	Tested In Accordance with NFRC 100-97	U-Factor SHGC VT	0.43	0.43	0.35	0.35	0.28	0.29
			0.49	0.45	0.39	0.39	0.26	0.24
			0.51	0.46	0.47	0.43	0.46	0.42

ENERGY STAR Climate Region Map



Northern	≤ 0.35	ANY	Southern	≤ 0.65	≤ 0.4	Prescriptive	
North/Central	≤ 0.40	≤ 0.55	Equivalent Performance (Excluding CA) <i>Products meeting these criteria also qualify in the Southern zone.</i>	≤ 0.66	≤ 0.39	Equivalent Performance	
South/Central	≤ 0.40	≤ 0.40		Prescriptive	≤ 0.67		≤ 0.38
	≤ 0.41	≤ 0.36			≤ 0.68		≤ 0.38
	≤ 0.42	≤ 0.31			≤ 0.69		≤ 0.37
	≤ 0.43	≤ 0.24			≤ 0.70		≤ 0.37
				≤ 0.71	≤ 0.36		
				≤ 0.72	≤ 0.35		
				≤ 0.73	≤ 0.35		
				≤ 0.74	≤ 0.34		
				≤ 0.75	≤ 0.33		